TrakPro Version 4.61 ASCII Data File

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

Test ID:,001

Test Abbreviation:,

Start Date: ,06/24/2015

Start Time:,13:49:25

Duration (dd:hh:mm:ss):,0:00:10:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,10

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³

,Average:,0.036

,Minimum:,0.029

Time of Minimum:,13:50:25

Date of Minimum:,06/24/2015

,Maximum:,0.040

Time of Maximum:,13:52:25

Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,13:50:25,0.029

06/24/2015,13:51:25,0.033

06/24/2015,13:52:25,0.040

06/24/2015,13:53:25,0.033

06/24/2015,13:54:25,0.039

06/24/2015,13:55:25,0.036

06/24/2015,13:56:25,0.034

06/24/2015,13:57:25,0.036

06/24/2015,13:58:25,0.038

06/24/2015,13:59:25,0.040

Model:,SidePak Aerosol Monitor

Model Number:, AM510

Serial Number:,11410008

Test ID:,002

Test Abbreviation:,

Start Date: ,06/24/2015

Start Time:.14:16:00

Duration (dd:hh:mm:ss):,0:00:45:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,45

Notes:,

Statistics, Channel:, Aerosol, Units:, mg/m^3, Average:, 0.225

,Minimum:,0.028 ,Time of Minimum:,14:28:00 ,Date of Minimum:,06/24/2015

,Maximum:,1.017

Time of Maximum:,14:55:00 ,Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,14:17:00,0.046

06/24/2015,14:18:00,0.040

06/24/2015,14:19:00,0.061

06/24/2015,14:20:00,0.632

06/24/2015,14:21:00,0.807

06/24/2015,14:22:00,0.543

06/24/2015,14:23:00,0.756

06/24/2015,14:24:00,0.626

06/24/2015,14:25:00,0.109

06/24/2015,14:26:00,0.042

06/24/2015,14.25.00,0.042

06/24/2015,14:27:00,0.033 06/24/2015,14:28:00,0.028

06/24/2015,14:29:00,0.031

00/24/2013,14.27.00,0.03

06/24/2015,14:30:00,0.035

06/24/2015,14:31:00,0.030

06/24/2015,14:32:00,0.030

06/24/2015,14:33:00,0.030

06/24/2015,14:34:00,0.043

06/24/2015,14:35:00,0.173

06/24/2015,14:36:00,0.325

06/24/2015,14:37:00,0.597

06/24/2015,14:38:00,0.390

06/24/2015,14:39:00,0.157

06/24/2015,14:40:00,0.030

06/24/2015,14:41:00,0.028

00/24/2013,14.41.00,0.026

06/24/2015,14:42:00,0.029

06/24/2015,14:43:00,0.038

06/24/2015,14:44:00,0.032

06/24/2015,14:45:00,0.030

06/24/2015,14:46:00,0.040

06/24/2015,14:47:00,0.036

06/24/2015,14:48:00,0.034

06/24/2015,14:49:00,0.046

06/24/2015,14:50:00,0.059

06/24/2015,14:51:00,0.136

06/24/2015,14:52:00,0.061

06/24/2015,14:53:00,0.061

06/24/2015,14:54:00,0.538

06/24/2015,14:55:00,1.017 06/24/2015,14:56:00,0.860 06/24/2015,14:57:00,0.595 06/24/2015,14:58:00,0.574 06/24/2015,14:59:00,0.188 06/24/2015,15:00:00,0.062 06/24/2015,15:01:00,0.061

Model:,SidePak Aerosol Monitor

Model Number:, AM510 Serial Number:,11410008 Test ID:,003

Test Abbreviation:. Start Date: ,06/24/2015 Start Time:,15:08:12

Duration (dd:hh:mm:ss):,0:00:57:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,57 Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.170 ,Minimum:,0.025

Time of Minimum:,15:39:12 Date of Minimum:,06/24/2015

.Maximum: .0.598

Time of Maximum:,15:12:12 Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,15:09:12,0.038

06/24/2015,15:10:12,0.041

06/24/2015,15:11:12,0.345 06/24/2015,15:12:12,0.598

06/24/2015,15:13:12,0.447

06/24/2015,15:14:12,0.425

06/24/2015,15:15:12,0.520

06/24/2015,15:16:12,0.588

06/24/2015,15:17:12,0.597 06/24/2015,15:18:12,0.551

06/24/2015,15:19:12,0.087

06/24/2015,15:20:12,0.031

06/24/2015,15:21:12,0.030

06/24/2015,15:22:12,0.027 06/24/2015,15:23:12,0.027

06/24/2015,15:24:12,0.037

06/24/2015,15:25:12,0.039

06/24/2015,15:26:12,0.044

06/24/2015,15:27:12,0.089 06/24/2015,15:28:12,0.332 06/24/2015,15:29:12,0.250 06/24/2015,15:30:12,0.223 06/24/2015,15:31:12,0.284 06/24/2015,15:32:12,0.253 06/24/2015,15:33:12,0.251 06/24/2015,15:34:12,0.262 06/24/2015,15:35:12,0.253 06/24/2015,15:36:12,0.083 06/24/2015,15:37:12,0.039 06/24/2015,15:38:12,0.026 06/24/2015,15:39:12,0.025 06/24/2015,15:40:12,0.028 06/24/2015,15:41:12,0.036 06/24/2015,15:42:12,0.131 06/24/2015,15:43:12,0.458 06/24/2015,15:44:12,0.139 06/24/2015,15:45:12,0.109 06/24/2015,15:46:12,0.141 06/24/2015,15:47:12,0.116 06/24/2015,15:48:12,0.081 06/24/2015,15:49:12,0.084 06/24/2015,15:50:12,0.094 06/24/2015,15:51:12,0.166 06/24/2015,15:52:12,0.139 06/24/2015,15:53:12,0.106 06/24/2015,15:54:12,0.048 06/24/2015,15:55:12,0.034 06/24/2015,15:56:12,0.036 06/24/2015,15:57:12,0.034 06/24/2015,15:58:12,0.030 06/24/2015,15:59:12,0.025 06/24/2015,16:00:12,0.037 06/24/2015,16:01:12,0.116 06/24/2015,16:02:12,0.236 06/24/2015,16:03:12,0.253 06/24/2015,16:04:12,0.107

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

06/24/2015,16:05:12,0.047

Test ID:,004

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,16:12:43

Duration (dd:hh:mm:ss):,0:00:10:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,10

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.032 ,Minimum:,0.026

Time of Minimum:,16:16:43, Date of Minimum:,06/24/2015

,Maximum:,0.067

Time of Maximum:,16:13:43, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/24/2015, 16:13:43, 0.067 06/24/2015, 16:14:43, 0.028 06/24/2015, 16:15:43, 0.027 06/24/2015, 16:16:43, 0.026 06/24/2015, 16:17:43, 0.027 06/24/2015, 16:18:43, 0.029 06/24/2015, 16:19:43, 0.034 06/24/2015, 16:20:43, 0.027 06/24/2015, 16:21:43, 0.026

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

06/24/2015,16:22:43,0.027

Test ID:,005

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,16:24:04

Duration (dd:hh:mm:ss):,0:00:04:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,4 Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.001 ,Minimum:,0.000

Time of Minimum:,16:25:04, Date of Minimum:,06/24/2015

,Maximum:,0.002

Time of Maximum:,16:27:04, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/24/2015, 16:25:04, 0.000 06/24/2015,16:26:04,0.001 06/24/2015,16:27:04,0.002 06/24/2015,16:28:04,0.000

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,001

Test Abbreviation:, Start Date:,06/24/2015

Start Time:,13:49:04

Duration (dd:hh:mm:ss):,0:00:10:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,10

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³

,Average:,0.026

,Minimum:,0.023

Time of Minimum:,13:51:04, Date of Minimum:,06/24/2015,

,Maximum:,0.034

Time of Maximum:,13:54:04, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,13:50:04,0.024

06/24/2015,13:51:04,0.023

06/24/2015,13:52:04,0.027

06/24/2015,13:53:04,0.023

06/24/2015,13:54:04,0.034

06/24/2015,13:55:04,0.026

06/24/2015,13:56:04,0.025

06/24/2015,13:57:04,0.027

06/24/2015,13:58:04,0.028

06/24/2015,13:59:04,0.028

Model: SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,002

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,14:15:38

Duration (dd:hh:mm:ss):,0:00:45:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,45

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³

,Average:,0.172

,Minimum:,0.022

Time of Minimum:,14:31:38

Date of Minimum: 06/24/2015

,Maximum:,0.768

Time of Maximum:, 14:54:38

Date of Maximum: 06/24/2015

Calibration, Sensor:, Aerosol

,Cal. date,06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,14:16:38,0.034

06/24/2015,14:17:38,0.029

06/24/2015,14:18:38,0.050

06/24/2015,14:19:38,0.501

06/24/2015,14:20:38,0.609

06/24/2015,14:21:38,0.431

06/24/2015,14:22:38,0.611

06/24/2015,14:23:38,0.470

06/24/2015,14:24:38,0.080

06/24/2015,14:25:38,0.030

06/24/2015,14:26:38,0.029

06/24/2015,14:27:38,0.024

06/24/2015,14:28:38,0.024

06/24/2015,14:29:38,0.026

06/24/2015,14:30:38,0.025

06/24/2015,14:31:38,0.022

06/24/2015,14:32:38,0.023

06/24/2015,14:33:38,0.033

06/24/2015,14:34:38,0.133

06/24/2015,14:35:38,0.249

06/24/2015,14:36:38,0.457

06/24/2015,14:37:38,0.296

06/24/2015,14:38:38,0.105

06/24/2015,14:39:38,0.023

06/24/2015,14:40:38,0.022

06/24/2015,14:41:38,0.022

06/24/2015,14:42:38,0.029

06/24/2015,14:43:38,0.023

06/24/2015,14:44:38,0.022

06/24/2015,14:45:38,0.029

06/24/2015,14:46:38,0.027

06/24/2015,14:47:38,0.028

06/24/2015,14:48:38,0.037

06/24/2015,14:49:38,0.045

06/24/2015,14:50:38,0.102

06/24/2015,14:51:38,0.044

06/24/2015,14:52:38,0.048

06/24/2015,14:53:38,0.410 06/24/2015,14:54:38,0.768 06/24/2015,14:55:38,0.645 06/24/2015,14:56:38,0.451 06/24/2015,14:57:38,0.432 06/24/2015,14:58:38,0.139

06/24/2015,14:59:38,0.044 06/24/2015,15:00:38,0.046

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,003

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,15:07:52

Duration (dd:hh:mm:ss):,0:00:57:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,57

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.128 ,Minimum:,0.018

Time of Minimum:,15:38:52 ,Date of Minimum:,06/24/2015

,Maximum:,0.443

Time of Maximum:,15:16:52, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,15:08:52,0.044

06/24/2015,15:09:52,0.032 06/24/2015,15:10:52,0.274

06/24/2015,15:11:52,0.423

06/24/2015,15:12:52,0.324

06/24/2015,15:13:52,0.324

06/24/2015,15:14:52,0.396

06/24/2015,15:15:52,0.438

06/24/2015,15:16:52,0.443

06/24/2015,15:17:52,0.429

06/24/2015,15:18:52,0.053

06/24/2015,15:19:52,0.025

06/24/2015,15:20:52,0.023

06/24/2015,15:21:52,0.025 06/24/2015,15:22:52,0.021

06/24/2015,15:23:52,0.029

06/24/2015,15:24:52,0.029

06/24/2015,15:25:52,0.034 06/24/2015,15:26:52,0.066 06/24/2015,15:27:52,0.261 06/24/2015,15:28:52,0.178 06/24/2015,15:29:52,0.175 06/24/2015,15:30:52,0.214 06/24/2015,15:31:52,0.198 06/24/2015,15:32:52,0.196 06/24/2015,15:33:52,0.196 06/24/2015,15:34:52,0.191 06/24/2015,15:35:52,0.056 06/24/2015,15:36:52,0.029 06/24/2015,15:37:52,0.021 06/24/2015,15:38:52,0.018 06/24/2015,15:39:52,0.018 06/24/2015,15:40:52,0.022 06/24/2015,15:41:52,0.122 06/24/2015,15:42:52,0.332 06/24/2015,15:43:52,0.098 06/24/2015,15:44:52,0.090 06/24/2015,15:45:52,0.105 06/24/2015,15:46:52,0.094 06/24/2015,15:47:52,0.065 06/24/2015,15:48:52,0.067 06/24/2015,15:49:52,0.073 06/24/2015,15:50:52,0.135 06/24/2015,15:51:52,0.107 06/24/2015,15:52:52,0.071 06/24/2015,15:53:52,0.036 06/24/2015,15:54:52,0.028 06/24/2015,15:55:52,0.025 06/24/2015,15:56:52,0.027 06/24/2015,15:57:52,0.022 06/24/2015,15:58:52,0.020 06/24/2015,15:59:52,0.026 06/24/2015,16:00:52,0.088 06/24/2015,16:01:52,0.193 06/24/2015,16:02:52,0.186 06/24/2015,16:03:52,0.071

Model:,SidePak Aerosol Monitor Model Number:, AM510 Serial Number:,11410011 Test ID:,004 Test Abbreviation:, Start Date: ,06/24/2015

06/24/2015,16:04:52,0.035

Start Time: .16:12:07

Duration (dd:hh:mm:ss):,0:00:10:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,10

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.025

,Minimum:,0.019

Time of Minimum:,16:22:07, Date of Minimum:,06/24/2015

,Maximum:,0.051

Time of Maximum:,16:13:07, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,16:13:07,0.051

06/24/2015,16:14:07,0.024

06/24/2015,16:15:07,0.021

06/24/2015,16:16:07,0.020

06/24/2015,16:17:07,0.022

06/24/2015,16:18:07,0.022

06/24/2015,10:10:07,0:022

06/24/2015,16:19:07,0.026 06/24/2015,16:20:07,0.025

06/24/2015,16:21:07,0.020

06/24/2015,16:22:07,0.019

Model:,SidePak Aerosol Monitor

Model Number:, AM510

Serial Number:,11410011

Test ID:,005

Test Abbreviation:,

Start Date: ,06/24/2015

Start Time: .16:23:20

Duration (dd:hh:mm:ss):,0:00:04:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,4

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.001

,Minimum:,0.000

Time of Minimum:,16:24:20

,Date of Minimum:,06/24/2015

,Maximum:,0.001

,Time of Maximum:,16:26:20

Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol

,Cal. date,06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,16:24:20,0.000 06/24/2015,16:25:20,0.000 06/24/2015,16:26:20,0.001 06/24/2015,16:27:20,0.001

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,001

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,13:49:03

Duration (dd:hh:mm:ss):,0:00:10:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,10

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.030 ,Minimum:,0.025

Time of Minimum:,13:53:03, Date of Minimum:,06/24/2015

,Maximum:,0.033

Time of Maximum:,13:52:03, Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,13:50:03,0.027

06/24/2015,13:51:03,0.028

06/24/2015,13:52:03,0.033

06/24/2015,13:53:03,0.025 06/24/2015,13:54:03,0.032

06/24/2015,13:54:03,0.032 06/24/2015,13:55:03,0.028

06/24/2015,13:56:03,0.028

06/24/2015,13:57:03,0.030

06/24/2015,13:58:03,0.029

06/24/2015,13:59:03,0.033

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,002

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,14:15:37

Duration (dd:hh:mm:ss):,0:00:45:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,45 Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.182

,Minimum:,0.023

Time of Minimum:,14:44:37 Date of Minimum: 06/24/2015

,Maximum:,0.813

Time of Maximum:,14:54:37 Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,14:16:37,0.039

06/24/2015,14:17:37,0.030

06/24/2015,14:18:37,0.069

06/24/2015,14:19:37,0.549

06/24/2015,14:20:37,0.622

06/24/2015,14:21:37,0.453

06/24/2015,14:22:37,0.635

06/24/2015,14:23:37,0.471

06/24/2015,14:24:37,0.070

06/24/2015,14:25:37,0.034

06/24/2015,14:26:37,0.024 06/24/2015,14:27:37,0.028

06/24/2015,14:28:37,0.025

06/24/2015,14:29:37,0.026

06/24/2015,14:30:37,0.025

06/24/2015,14:31:37,0.027

06/24/2015,14:32:37,0.026

06/24/2015,14:33:37,0.040

06/24/2015,14:34:37,0.142

06/24/2015,14:35:37,0.258

06/24/2015,14:36:37,0.478

06/24/2015,14:37:37,0.299

06/24/2015,14:38:37,0.099

06/24/2015,14:39:37,0.027

06/24/2015,14:40:37,0.029

06/24/2015,14:41:37,0.024

06/24/2015,14:42:37,0.030

06/24/2015,14:43:37,0.025

06/24/2015,14:44:37,0.023

06/24/2015,14:45:37,0.032

06/24/2015,14:46:37,0.030

06/24/2015,14:47:37,0.028

06/24/2015,14:48:37,0.039

06/24/2015,14:49:37,0.051

06/24/2015,14:50:37,0.108

06/24/2015,14:51:37,0.047

06/24/2015,14:52:37,0.079 06/24/2015,14:53:37,0.476 06/24/2015,14:54:37,0.813 06/24/2015,14:55:37,0.684 06/24/2015,14:56:37,0.502 06/24/2015,14:57:37,0.453 06/24/2015,14:58:37,0.137 06/24/2015,14:59:37,0.049

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

06/24/2015,15:00:37,0.050

Test ID:,003

Test Abbreviation:, Start Date:,06/24/2015 Start Time:,15:07:51

Duration (dd:hh:mm:ss):,0:00:57:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,57

Number of points.

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.140

,Minimum:,0.020

Time of Minimum:,15:38:51 ,Date of Minimum:,06/24/2015

,Maximum:,0.480

Time of Maximum:,15:16:51 ,Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/24/2015

Date, Time, Aerosol

 $MM/dd/yyyy, hh: mm: ss, mg/m^3$

06/24/2015,15:08:51,0.032

06/24/2015,15:09:51,0.036 06/24/2015,15:10:51,0.340

06/24/2015,15:11:51,0.468

06/24/2015,15:12:51,0.356

06/24/2015,15:13:51,0.346

06/24/2015,15:14:51,0.430

06/24/2015,15:15:51,0.479

06/24/2015,15:16:51,0.480

06/24/2015,15:17:51,0.436

06/24/2015,15:18:51,0.050

06/24/2015,15:19:51,0.027

06/24/2015,15:20:51,0.025

06/24/2015,15:21:51,0.023

06/24/2015,15:22:51,0.024 06/24/2015,15:23:51,0.034

06/24/2015,15:24:51,0.036 06/24/2015,15:25:51,0.038 06/24/2015,15:26:51,0.072 06/24/2015,15:27:51,0.312 06/24/2015,15:28:51,0.196 06/24/2015,15:29:51,0.187 06/24/2015,15:30:51,0.229 06/24/2015,15:31:51,0.209 06/24/2015,15:32:51,0.209 06/24/2015,15:33:51,0.213 06/24/2015,15:34:51,0.200 06/24/2015,15:35:51,0.061 06/24/2015,15:36:51,0.031 06/24/2015,15:37:51,0.023 06/24/2015,15:38:51,0.020 06/24/2015,15:39:51,0.020 06/24/2015,15:40:51,0.027 06/24/2015,15:41:51,0.166 06/24/2015,15:42:51,0.345 06/24/2015,15:43:51,0.111 06/24/2015,15:44:51,0.098 06/24/2015,15:45:51,0.116 06/24/2015,15:46:51,0.094 06/24/2015,15:47:51,0.067 06/24/2015,15:48:51,0.072 06/24/2015,15:49:51,0.083 06/24/2015,15:50:51,0.147 06/24/2015,15:51:51,0.099 06/24/2015,15:52:51,0.083 06/24/2015,15:53:51,0.038 06/24/2015,15:54:51,0.032 06/24/2015,15:55:51,0.028 06/24/2015,15:56:51,0.025 06/24/2015,15:57:51,0.025 06/24/2015,15:58:51,0.025 06/24/2015,15:59:51,0.026 06/24/2015,16:00:51,0.105 06/24/2015,16:01:51,0.212 06/24/2015,16:02:51,0.201 06/24/2015,16:03:51,0.069

Model:,SidePak Aerosol Monitor

Model Number:,AM510

06/24/2015,16:04:51,0.038

Serial Number:,11410013

Test ID:,004

Test Abbreviation:,

Start Date:,06/24/2015

Start Time:,16:11:53

Duration (dd:hh:mm:ss):,0:00:11:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,11

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.028 ,Minimum:,0.020

Time of Minimum:,16:21:53 Date of Minimum: 06/24/2015

,Maximum:,0.051

Time of Maximum:, 16:13:53 Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/24/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/24/2015,16:12:53,0.037

06/24/2015,16:13:53,0.051

06/24/2015,16:14:53,0.023

06/24/2015,16:15:53,0.023

06/24/2015,16:16:53,0.024

06/24/2015,16:17:53,0.023

06/24/2015,16:18:53,0.026

06/24/2015,16:19:53,0.034

06/24/2015,16:20:53,0.022

06/24/2015,16:21:53,0.020

06/24/2015,16:22:53,0.023

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,005

Test Abbreviation:.

Start Date: ,06/24/2015

Start Time:,16:23:28

Duration (dd:hh:mm:ss):,0:00:04:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,4

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.002

,Minimum:,0.001

Time of Minimum:,16:24:28

Date of Minimum:,06/24/2015

,Maximum:,0.002

Time of Maximum:,16:25:28

Date of Maximum:,06/24/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/24/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/24/2015, 16:24:28, 0.001 06/24/2015, 16:25:28, 0.002 06/24/2015, 16:26:28, 0.002 06/24/2015, 16:27:28, 0.001